

Comprehensive Analysis Report

Sample Overview

Client: Boojum Med, LLC

Date Received: 09/26/2024

Sample Name: Olive Oil Drops

APRC #: BG240927B

Sample Matrix: Tincture

Sample Lot: PR.240924

| Assay | Disposition | Date Tested |
|--|-------------|-------------|
| Cannabinoid Testing (Potency) | Tested | 09-27-2024 |
| Microbial: Quantitative and Pathogen Detection Combo | Tested | 09-30-2024 |
| Terpene Quantitation | Tested | 10-01-2024 |



Accreditation #115229

Aromatic Plant Research Center is an ISO 17025:2017 certified laboratory.

Instrument Analysis Report

Potency

Method: SOP 1-2026.03

Sample Name: Olive Oil Drops

APRC Lot Number: BG240927B

| Cannabinoid | RT | Total % | Total mg/g |
|---|------|---------|------------|
| Cannabidivarinic Acid (CBDVA) | ND | ND | ND |
| Cannabidivarin (CBDV) | ND | ND | ND |
| Cannabidiolic Acid (CBDA) | ND | ND | ND |
| Cannabigerolic Acid (CBGA) | ND | ND | ND |
| Cannabinol (CBN) | ND | ND | ND |
| Cannabidiol (CBD) | ND | ND | ND |
| Cannabigerol (CBG) | 3.38 | 0.02 | 0.22 |
| Tetrahydrocannabivarin (THCV) | ND | ND | ND |
| Tetrahydrocannabivarin Acid (THCVA) | ND | ND | ND |
| Delta-9-Tetrahydrocannabinol (Δ 9-THC) | 6.75 | 0.94 | 9.35 |
| Delta-8-Tetrahydrocannabinol (Δ 8-THC) | ND | ND | ND |
| Tetrahydrocannabinolic acid (THCA-A) | ND | ND | ND |
| Cannabichromene (CBC) | ND | ND | ND |
| Cannabichromene Acid (CBCA) | ND | ND | ND |
| Δ 10 and Δ 6a,10a-Tetrahydrocannabinol, mixed isomers | ND | ND | ND |
| (6aR,9R)- Δ 10-Tetrahydrocannabinidiol | NT | NT | NT |
| (6aR,9S)- Δ 10-Tetrahydrocannabinidiol | NT | NT | NT |
| 9(R+S)- Δ 6a,10a-Tetrahydrocannabinidiol | NT | NT | NT |
| Cannabicitran (CBTC) | ND | ND | ND |

Performed by: Samikshya Neupane

Reviewed by: Riley Hunter

| | % | mg/g |
|------------------------|------|------|
| Total Cannabinoids | 0.96 | 9.57 |
| Total THC ^t | 0.94 | 9.35 |
| Total CBD ^s | ND | ND |

^tTotal Thc is calculated by Δ 9-THC + (THCA-A*0.877)

^sTotal CBD is calculated by CBD + (CBDA*0.877)

LOD > 0.005% by mass, LOQ > 0.01% by mass

Instrument Analysis Report

Microbial Impurities

Method: SOP 1-2034.01 and 1-2035.01

Sample Name: Olive Oil Drops

APRC Lot Number: BG240927B

| Total Counts | | | |
|------------------------|-----------------|----------------|--------------|
| Microbial Group: | Result (CFU/g): | Specification: | Disposition: |
| Total Aerobic Bacteria | <10 | ≤10,000 | Pass |
| Total Yeast and Mold | <10 | ≤1,000 | Pass |

| Specific Organism Identification | | | |
|----------------------------------|--------------|----------------|--------------|
| Microbial Organism: | Result: | Specification: | Disposition: |
| Aspergillus flavus | NT | NT | Not Tested |
| Aspergillus fumigatus | NT | NT | Not Tested |
| Aspergillus niger | NT | NT | Not Tested |
| Aspergillus terreus | NT | NT | Not Tested |
| E. coli | Not Detected | Not Detected | Pass |
| STEC | NT | NT | Not Tested |
| Salmonella - Specific Gene | Not Detected | Not Detected | Pass |
| Staphylococcus aureus | Not Detected | Not Detected | Pass |
| Pseudomonas aeruginosa | Not Detected | Report Only | Tested |

Performed by: Jordan Morley

Notes: Foreign Matter: Not Detected.

Reviewed by: Tessa Crook

Instrument Analysis Report

Terpenes

Method: SOP 1-2029.03

Sample Name: Olive Oil Drops


APRC Lot Number: BG240927B

| Analyte | Total % (w/w) | Total (mg/g) |
|-------------------------|---------------|--------------|
| α -Pinene | ND | ND |
| Camphene | ND | ND |
| Sabinene | ND | ND |
| β -pinene | ND | ND |
| Myrcene | ND | ND |
| alpha-Phellanderene | ND | ND |
| 3-Carene | ND | ND |
| Terpinene | ND | ND |
| m-Cymene | ND | ND |
| p-Cymene | ND | ND |
| Limonene | ND | ND |
| cis- β -Ocimene | ND | ND |
| Eucalyptol | ND | ND |
| ortho-Cymene | ND | ND |
| trans- β -Ocimene | ND | ND |
| γ -Terpinene | ND | ND |
| Sabinine Hydrate | ND | ND |
| terpinolene | ND | ND |
| Linalool | 0.003 | 0.032 |
| Fenchyl Alcohol | 0.002 | 0.016 |
| Isopulegol | ND | ND |
| Isoborneol | ND | ND |
| Borneol | ND | ND |

| Analyte | Total % (w/w) | Total (mg/g) |
|---|---------------|--------------|
| Menthol | ND | ND |
| Terpinen-4-ol | ND | ND |
| alpha-Terpineol | 0.002 | 0.018 |
| Nerol | ND | ND |
| Citronellol | ND | ND |
| Geraniol | ND | ND |
| Thymol | ND | ND |
| Carvacrol | ND | ND |
| (-)-alpha-Cedrene | ND | ND |
| beta-Caryophyllene | 0.013 | 0.129 |
| beta-Cedrene | ND | ND |
| trans-beta-Farnesene | 0.001 | 0.013 |
| Humulene | 0.005 | 0.054 |
| Valencene | 0.003 | 0.025 |
| cis-Nerolidol | ND | ND |
| trans-Nerolidol | ND | ND |
| Squalene | ND | ND |
| Guaiol | ND | ND |
| Cedrol | ND | ND |
| α -Bisabolol | 0.001 | 0.011 |
| Farneseol | ND | ND |
| Phytane (2,6,10,14-Tetramethylhexadecane) | ND | ND |
| Total | 0.030 | 0.298 |

Performed by: Anil Rokaya

Reviewed by: Riley Hunter



Approved By:
Nicholas Saichek, PhD

Senior Scientist Mass Spectrometry
10/02/2024